

UK MARKET RANGE OF PRODUCTS



ABOUT COMPANY

WITRAŻ Company has been working in the international and domestic market since 1999, gradually transforming into one of the biggest window manufacturers in Poland, Podlaskie voivodship. We are a leader in manufacturing Timber, PVC and Aluminium products.

Care for high aesthetics of our products and efforts for highest quality let us gained the trust of our customers and expand our business into other European countries. "WITRAŻ" Company is one of the few Polish manufacturers who was rewarded a prestigious **Q-ZERT** quality certificate which is issued by European Institute of Building Technology in Rosenheim.

This centre is one of the most valued and respected research institute in the world. It verifies compliance of produced goods with valid quality norms. **Q-ZERT** certificate awarded to the company confirms that production process and

quality control as well as each product which leaves the machine park is consistent with the European quality norm **PN-EN 14351-1** and the company meets a number of rigorous requirements confirmed by an accredited employee of the Institute.

WITRAŻ company is still developing. It can be noticed in our financial balance, where the annual sales increase accounts for 10-20% every year. At the moment, we are exporting our windows within the whole Europe: Belgium, Netherlands, Greece, Germany, Italy, Lithuania, Latvia, Czech Republic, Slovakia, France, The United Kingdom, Ireland, Portugal, Israel and Norway.

At the moment, we are making 2.500 m2 wood windows per month. Our production is able to produce up to 4.500 m2 windows per month. Also we are making more than 800 PVC windows per day. For that reason, we are looking for good and reliable partner.







SASH WINDOWS


Windows are very elegant, their classic profile allows it fit in historical look of the building.

Window perfectly harmonize with the modern as well as old contructions.

We offer 3 types of window width: 140 mm frame for listed buildings or buildings where

You can't use widder frame, 156 mm – our standard product and 180 mm window for triple glazed units.


Modern sash window is based on spiral balances that allows thinner frame of the window spiral balances are made up according to the size and weight of a particular sash Fitch fasteners, Alliance Sash fasteners, Claw Sash fastener






CORDS AND WEIGHTS

- Traditional sash windows operate via a mechanism that consists of cords and pulleys counterbalanced with weights
- Weights that we use are manufactured in Great Britain
- Ouble or Triple glazed units










CASEMENT STORMPROOF + FLUSH

Classic contruction that by outward opening saves a lot of space in the room. A very tight window – a wind pressure force ensures window clamp between the sash and window frame. Casement windows done in two systems: Stormproof and Flush.



CASEMENT **FLUSH**


- Windows are made from the best laminated wood - pine, mernati and oak
- Classic British design
- Availible in two versions: 56mm frame for double glazing and 68mm frame for triple glazin
- Wide range of hinges that can be used





CASEMENT **STORMPROOF**

- Simple and modern design
- Great wind insulation
- Availible in two versions: 56mm frame for double glazing and 68mm frame for triple glazing
- Windows are made from the best laminated wood - pine, mernati and oak



۰

ALUMINIUM CLADDED WINDOWS

Choose most prestigious timber windows with aluminium cladding if You're looking for highest quality of wood and durability of aluminium.

This line of products were created for most demanding customers and are almost maintance-free.




CASEMENT **ALU**


- Aluminium cladding on the external side of the window
- This long-term trouble-free use of woodwork without the necessity of maintenance
- Window type suitable for flats, apartments, houses as well as comercial buildings
- 2 variants of the thickness of wood 80, 92 mm glazed units from 24 to 40 mm



DUO **CONTOUR**

- The combination of excellent Ecoline, Thermoline Ecotherm systems and durability of aluminum full range of colors
- 3 variants of the thickness of wood 68,78,92 mm; glazed units from 24 to 60 mm
- 4 different types of aluminium cladding







LIFT AND SLIDE

Lift and slide system provides a secure, lightweight and comfortable movement of single sash up to 400kg. A choice of three thicknesses profiles 68,78 and 92 mm. Many schemes of opening evev up to 6 leaves. Trusted sealing system supports the sound insulation.

- ✓ Top class GU fitting , with innovative, modular ThermoStep threshold
- A comfortable GU handle system, the possibility of unilateral handles, bilateral, and their connection to the different types of inserts.
- ✓ Optional automatic system of opening doors
- ✓ Optional anti-bug net hidden in frame

BI-FOLD DOORS

Great space saving windows, widely used for patios and balconys. Manufactured both from wood and PVC. Breathtaking offect of open room. Folding windows are perfect for projects needing a pass-through type serving system, such as hotels, clubs and restaurants.

- ✓ Double or triple glazed units
- ✓ Wide variety of configurations
- Practical panel and color options provide maximum flexibility
- ✓ Indistinguishable from real wood and handcrafted for exceptional beauty

TILT&SLIDE DOORS


Tilt-and-slide system allows you to easily move the sash weights up to 200 kg and safely be tilted. This makes it possible optimal ventilation. Three thick profiles and many color options to choose from in a clever Tilt and Slide system with optimal ventilation.


- Special fittings allow you to open the door to a small area, four-sealing and locking contribute to the high comfort and safety.
- Double sealed wing (main seal and rebate one) protects against noise and heat loss. Rely main seal on the window frame, and not a drip is an advantage
 it prevents the ingress of water into the connection
- ✓ A comfortable Maco handle

of the frame.


✓ installation depth 68,72 or 92 mm













FRENCH DOOR

CLASSIC AND ELEGANT

- ✓ Good insulation
- ✓ Wide range of door panels
- ✓ Classic Line

Classic doors with good insulation properties. Wide range of door panels in rich colors, solid, adjustable hinges, lock with five locking points.

SPECIFICATION

Frame construction

- ✓ Squared glued wood.
- ✓ Timber species: pine, oak, meranti
- ✓ Other timber species on request

French doors create a smooth transition between the interior and exterior, which can increase the sense of space even when the doors are closed.

ENTERANCE DOOR

ELEGANCE IN THE PUREST WAY

- ✓ Gentleness and moderation
- Diversified Collection

SPECIFICATION

Classic design of collection represents gentleness and moderation, referring to the best traditions of architecture. Precious grain of oak, warm shade of meranti wood or natural look of Polish pine - diverse material create unique collection of exterior doors.

SIMPLE FORMS AND MINIMALISM

- ✓ Functional shapes
- ✓ Durability

Functionally planned shapes, durability and high levels of craftsmanship got moderne collection an extra popularity. Natural form does not introduce unnecessary clutter, and frequently organizes space of the room, well composing with other objects.

IPA SYSTEM

TOP SWING WINDOWS

- √ 180° turn of the window makes it very easy and safe to clean
- ✓ Great to control home ventilation
- ✓ Good choice both for home and office

SIDE SWING WINDOWS

- Concealed hinges
- ✓ Locking handles can be installed
- ✓ Possible aluminium cladding

COMBINATION WINDOWS

- Wide range of combinations (side swing + fix + fix for ex.)
- √ 92mm frame width

Windows typical for Scandinavian market. Very elegant design combined with modern technology comes great at day-to-day use. The structure of the Scandinavian windows is a perfect solution for small rooms, allowing to freely open the windows and to develop the area around them, without the need of opening the curtains or moving items on the sill before opening the window.







Witraż spółka z ograniczoną odpowiedzialnością sp. k. Łyski 79c k. Białegostoku | 16-070 Choroszcz

F: +48 85 713 23 40

E: uk@witrazokna.eu

M: +48 604 455 214,

T: + 48 85 713 23 47

WWW.WITRAZ.EU